

	Type	L #	Hits	Search Text	DBs	Time Stamp	Corr mmDef tsni tion	Er ro rs
1	BRS	L1	11	351/160h.ccls. and @pd>="20041201"	US- PGPUB; USPAT	2005/06/16 10:42		
2	BRS	L2	29	351/160r.ccls. and @pd>="20041201"	US- PGPUB; USPAT	2005/06/16 10:43		
3	BRS	L3	18	351/161.ccls. and @pd>="20041201"	US- PGPUB; USPAT	2005/06/16 10:43		
4	BRS	L4	16	351/162.ccls. and @pd>="20041201"	US- PGPUB; USPAT	2005/06/16 10:43		
5	BRS	L5	54	351/177.ccls. and @pd>="20041201"	US- PGPUB; USPAT	2005/06/16 10:43		
6	BRS	L6	1242 0	contact adj lens\$2	US- PGPUB; USPAT	2005/06/16 10:56		
7	BRS	L7	27	5 and 6	US- PGPUB; USPAT	2005/06/16 10:43		
8	BRS	L8	77	1 or 2 or 3 or 4 or 7	US- PGPUB; USPAT	2005/06/16 10:44		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Corr mmDef tsni tion	Er ro rs
9	BRS	L9	1961 28	three adj dimension\$2	US- PGPUB; USPAT	2005/06/16 10:53		
10	BRS	L1 0	1561 3	3-dimension\$2	US- PGPUB; USPAT	2005/06/16 10:44		
11	BRS	L1 1	1456 34	three-dimension\$2	US- PGPUB; USPAT	2005/06/16 10:44		
12	BRS	L1 2	2041 39	9 or 10 or 11	US- PGPUB; USPAT	2005/06/16 10:44		
13	BRS	L1 3	12	8 and 12	US- PGPUB; USPAT	2005/06/16 10:45		
14	BRS	L1 4	1328 16	asymmetric\$2 or asymmetry	US- PGPUB; USPAT	2005/06/16 10:45		
15	BRS	L1 5	2	13 and 14	US- PGPUB; USPAT	2005/06/16 10:46		
16	BRS	L1 6	10	13 not 15	US- PGPUB; USPAT	2005/06/16 10:49		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Corr mmDef tsni tion	Er ro rs
17	BRS	L1 8	2909 6	smooth\$4 with thick\$4	US- PGPUB; USPAT	2005/06/16 10:49		
18	BRS	L1 7	4	junctionless with thick\$4	US- PGPUB; USPAT	2005/06/16 10:50		
19	BRS	L1 9	1	8 and 18	US- PGPUB; USPAT	2005/06/16 10:50		
20	BRS	L2 0	31	silicone and 8	US- PGPUB; USPAT	2005/06/16 10:50		
21	BRS	L2 4	386	(three adj dimension\$2) with (asymmetric\$4 or asymmetry)	US- PGPUB; USPAT	2005/06/16 10:57		
22	BRS	L2 5	31	(3-dimension\$2) with (asymmetric\$4 or asymmetry)	US- PGPUB; USPAT	2005/06/16 10:57		
23	BRS	L2 6	274	(three-dimension\$2) with (asymmetric\$4 or asymmetry)	US- PGPUB; USPAT	2005/06/16 10:57		
24	BRS	L2 7	415	24 or 25 or 26	US- PGPUB; USPAT	2005/06/16 10:54		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Corr mmDefi tsniti on	Er ro rs
25	BRS	L2 8	9	6 and 27	US- PGPUB; USPAT	2005/06/16 10:55		
26	BRS	L2 9	5	silicone and 28	US- PGPUB; USPAT	2005/06/16 10:55		
27	BRS	L3 0	1155 6	contact adj lens\$2	EPO; JPO; DERWEN T	2005/06/16 10:56		
28	BRS	L3 1	95	(three adj dimension\$2) with (asymmetric\$4 or asymmetry)	EPO; JPO; DERWEN T	2005/06/16 10:57		
29	BRS	L3 2	9	(3-dimension\$2) with (asymmetric\$4 or asymmetry)	EPO; JPO; DERWEN T	2005/06/16 10:57		
30	BRS	L3 3	72	(three-dimension\$2) with (asymmetric\$4 or asymmetry)	EPO; JPO; DERWEN T	2005/06/16 10:57		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Corr mmDef tsni tion	Er ro rs
31	BRS	L3 4	103	31 or 32 or 33	EPO; JPO; DERWEN T.	2005/06/16 10:57		
32	BRS	L3 5	4	30 and 34	EPO; JPO; DERWEN T	2005/06/16 10:58		
33	BRS	L3 6	463	hydrophil\$2 near3 silicone	EPO; JPO; DERWEN T	2005/06/16 11:14		
34	BRS	L3 8	0	30 and 36	US- PGPUB; USPAT	2005/06/16 10:58		
35	BRS	L3 9	1178	hydrophil\$2 near3 silicone	US- PGPUB; USPAT	2005/06/16 10:59		
36	BRS	L4 0	287	6 and 39	US- PGPUB; USPAT	2005/06/16 10:59		
37	BRS	L4 1	1783 20	smooth near5 surface\$1	US- PGPUB; USPAT	2005/06/16 11:14		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Corr mmDefi tsniti on	Er ro rs
38	BRS	L4 2	46	40 and 41	US- PGPUB; USPAT	2005/06/16 10:59		
39	BRS	L4 3	6917 99	comfort or orientation or translation	US- PGPUB; USPAT	2005/06/16 11:00		
40	BRS	L4 4	34	42 and 43	US- PGPUB; USPAT	2005/06/16 11:13		
41	BRS	L4 5	2	junctionless near5 thickness	US- PGPUB; USPAT	2005/06/16 11:14		
42	BRS	L4 6	7323 1	(vary\$3 or varying or varies) near5 thickness	US- PGPUB; USPAT	2005/06/16 11:22		
43	BRS	L4 7	9325	41 and 46	US- PGPUB; USPAT	2005/06/16 11:14		
44	BRS	L4 8	107	6 and 47	US- PGPUB; USPAT	2005/06/16 11:14		
45	BRS	L5 1	51	hydrophil\$2 and 48	US- PGPUB; USPAT	2005/06/16 11:15		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Corr mmDef tsni tion	Er ro rs
46	BRS	L5 2	6	toric\$4 and 51	US- PGPUB; USPAT	2005/06/16 11:20		
47	BRS	L5 3	171	((vary\$3 or varying or varies) near5 thickness) with (comfort\$4 or tranlation or stabiliz\$4)	US- PGPUB; USPAT	2005/06/16 11:22		
48	BRS	L5 5	2	toric\$4 and 54	US- PGPUB; USPAT	2005/06/16 11:20		
49	BRS	L5 4	7	6 and 53	US- PGPUB; USPAT	2005/06/16 11:20		
50	BRS	L5 6	223	((vary\$3 or varying or varies) with thickness) with (comfort\$4 or tranlation or stabiliz\$4)	US- PGPUB; USPAT	2005/06/16 11:21		
51	BRS	L5 7	12	6 and 56	US- PGPUB; USPAT	2005/06/16 11:21		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Corr mm en ts	ro De fi ni ti on	Er ro rs
52	BRS	L5 8	32	((vary\$3 or varying or varies) near5 thickness) with (comfort\$4 or tranlation or stabiliz\$4)	EPO; JPO; DERWEN T	2005/06/16 11:22			
53	BRS	L5 9	1	30 and 58	EPO; JPO; DERWEN T	2005/06/16 11:22			
54	BRS	L6 0	9231	(vary\$3 or varying or varies) near5 thickness	EPO; JPO; DERWEN T	2005/06/16 11:22			
55	BRS	L6 1	8	30 and 60	EPO; JPO; DERWEN T	2005/06/16 11:22			